

# What's New MY18 B-Class (W246)

MBC Product Management Date of Revision: January 12, 2018

## Legal

All illustrations and specifications contained in this guide are based on the latest product information available at the time of publication and is intended for internal use only. Text and images contained herein are all subject to copyright and other intellectual property protection. This guide may not be distributed, modified, transmitted, re-posted or used for public or commercial purposes without the written permission of Mercedes-Benz Canada Inc. This guide may also contain materials that are subject to the copyright rights of their providers. Mercedes-Benz Canada Inc. reserves the right to make changes at any time, without notice, to pricing, colours, materials, equipment, specifications and models. Any variations in colours shown are due to variation between monitors and printers. Illustrations may include test situations. Some vehicles may be shown with non-Canadian equipment. Some vehicles are shown with optional equipment. All other registered trademarks or trademarks are property of their respective owners.

# What's New for MY18

## **Model Overview**

## **B-Class**

B 250 Avantgarde Edition MSRP: \$35,900 B 250 4MATIC Avantgarde Edition MSRP: \$38,200

Model	Engine	Power	Torque	Production	Launch
B 250 (246.244)	2.0L Turbo I4	208 hp at 5,500 rpm	258 lb-ft from 1,200- 4,000 rpm	March 2017	June 2017
B 250 4MATIC (246.246)	2.0L Turbo I4	208 hp at 5,500 rpm	258 lb-ft from 1,200- 4,000 rpm	March 2017	June 2017



## What's New for MY18

## **Changes**

For MY18, the B-Class undergoes option changes, a mandatory Avantgarde Edition package, as well as added standard equipment:

#### **B 250 and B 250 4MATIC**

- Rear View Camera has been added to Standard Equipment
- Avantgarde Edition Package is being introduced (mandatory on all orders)
- Premium Package, Versatility Package, and Sport Package have been discontinued in light of the Avantgarde strategy
- Storage Package (30P) becomes Optional Equipment
- South Seas Blue Metallic Paint (162) is no longer offered
- Canyon Beige Metallic Paint (895) is no offered

## **Driving Assistance System Nomenclature Update**

MY17	MY18
Parking Pilot with Parking Assist PARKTRONIC	Active Parking Assist

- Status quo functionality
- MY17 naming convention still used in vehicle instrument cluster and manuals for MY18

# **Exterior Images**





# **Interior Images**





# Standard Equipment Highlights

## B 250 and B 250 4MATIC

#### Mechanical

- 2.0L Turbo Inline 4-Cylinder Engine
- 7G-DCT Transmission
- ECO Start/Stop Function
- 4MATIC All-Wheel Drive (B 250 4MATIC only)
- Comfort Suspension
- DYNAMIC SELECT
- Electronic Parking Brake

#### **Exterior**

- LED Taillights
- LED Daytime Running Lamps
- Electrically Adjustable Heated Mirrors
- 17" 5-Twin-Spoke Wheels (R04)

#### Interior

- Leather Wrapped Steering Wheel
- Steering Wheel Shift Paddles
- ARTICO Upholstery
- Heated Front Seats
- Ambient Lighting
- Audio 20 with CD Player
- 7.0" Central Media Display
- KEYLESS START
- Split Folding Rear Bench Seats

#### **Safety**

- Rear View Camera
- ATTENTION ASSIST
- Automatic Headlamp Activation
- Rain Sensing Windshield Wipers
- Active Brake Assist
- ADAPTIVE BRAKE with HOLD function









# **Optional Equipment**

## B 250 and B 250 4MATIC

#### **Avantgarde Edition Package** (Included in MSRP)

#### mandatory on all orders

- Blind Spot Assist
- THERMOTRONIC Automatic Climate Control
- 8" Central Media Display
- Smartphone Integration
   (Apple CarPlay and Google Android Auto)
- Power Adjustable Driver's Seat with Memory
- Power Adjustable Passenger's Seat with Memory
- Power Lumbar Support
- Auto Dimming Mirrors (rearview and drivers side)
- Panoramic Sunroof
- LED High Performance Lighting System

#### **Standalone Options**

- Active Parking Assist (\$900)
- Storage Package (\$350)
- COMAND Online Navigation with MB Apps (\$1,100)
- SiriusXM Satellite Radio (\$475)











# **Option Detail**

Storage Package (30P)



The Storage Package offers a wealth of useful storage facilities for the driver, front passenger and rear passengers. Components include:

- Spectacles compartment in the overhead control panel
- Net in the front passenger footwell
- Folding tables on backrest of driver and front passenger seats
- Luggage nets on the rear of the front seats
- Stowage boxes under the front seats

# **Paints**

Solid Paints Standard (n/c)







# **Paints**

## Metallic Paints Optional (\$890)



Cosmos Black (191)



Polar Silver (761)



Mountain Grey (787)



Cocoa Brown (990)



Cavansite Blue (890)




Canyon Beige (895)



# **Interior Upholstery**

ARTICO Man-Made Leather Standard (n/c)







# **Trims**

## **Standard Trim**



## **Optional Trim**



# Wheels

## **Standard Wheel**



Rear: 225/45 All-Season **Run-Flat Tires** 

# **Technical Data**

DIMENSIONS	D 050	D OSO MATIO
DIMENSIONS	B 250	B 250 4MATIC
Length (mm)	4,393	4,393
Width - Excluding Mirrors (mm)	1,836	1,836
Width - Including Mirrors (mm)	2,010	2,010
Height (mm)	1,562	1,562
Wheelbase (mm)	2,699	2,699
Turning Circle (m)	11.00	11.00
Headroom - Front (mm)	1,047	1,047
Headroom - Rear (mm)	TBD	TBD
Luggage Capacity (L)	488-1,547	488-1,547
Fuel Capacity / Reserve (L)	50	50
WEIGHT		
Curb Weight (kg)	1,465	1,505
Weight Distribution - Front (%)	62%	62%
Weight Distribution - Rear (%)	38%	38%
ENGINE		
Engine Type	16V DOHC Turbo I4	16V DOHC Turbo I4
Displacement (cm <sup>3</sup> )	1991	1991
Bore (mm)	83.00	83.00
Stroke (mm)	92.00	92.00
Horsepower (SAE @ RPM)	208 @ 5,500	208 @ 5,500
Torque (lb-ft @ RPM)	258 @ 1,200-4,000	258 @ 1,200-4,000
Compression Ratio	9.8 : 1	9.8 : 1
Fuel Type	Premium Unleaded	Premium Unleaded
DRIVETRAIN		
Drive Configuration	Front Wheel Drive	4MATIC
Drive Configuration Transmission Type	Front Wheel Drive 7G-DCT Automatic	4MATIC 7G-DCT Automatic
Drive Configuration Transmission Type Gear Ratios (:1)	7G-DCT Automatic	7G-DCT Automatic
Drive Configuration Transmission Type Gear Ratios (:1) 1 <sup>st</sup>	7G-DCT Automatic 3.860	7G-DCT Automatic 3.860
Drive Configuration Transmission Type Gear Ratios (:1) 1 <sup>st</sup> 2 <sup>nd</sup>	7G-DCT Automatic 3.860 2.430	7G-DCT Automatic 3.860 2.430
Drive Configuration Transmission Type Gear Ratios (:1) 1 <sup>st</sup> 2 <sup>nd</sup> 3 <sup>rd</sup>	7G-DCT Automatic 3.860 2.430 2.670	7G-DCT Automatic 3.860 2.430 2.670
Drive Configuration Transmission Type Gear Ratios (:1) 1st 2nd 3rd 4th	7G-DCT Automatic 3.860 2.430 2.670 1.050	7G-DCT Automatic 3.860 2.430 2.670 1.050
Drive Configuration Transmission Type Gear Ratios (:1) 1st 2nd 3rd 4th 5th	7G-DCT Automatic 3.860 2.430 2.670 1.050 0.780	7G-DCT Automatic 3.860 2.430 2.670 1.050 0.780
Drive Configuration Transmission Type Gear Ratios (:1) 1st 2nd 3rd 4th 5th 6th	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050	7G-DCT Automatic 3.860 2.430 2.670 1.050 0.780 1.050
Drive Configuration Transmission Type Gear Ratios (:1)  1 <sup>st</sup> 2 <sup>nd</sup> 3 <sup>rd</sup> 4 <sup>th</sup> 5 <sup>th</sup> 6 <sup>th</sup> 7 <sup>th</sup>	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840
Drive Configuration Transmission Type Gear Ratios (:1)  1 <sup>st</sup> 2 <sup>nd</sup> 3 <sup>rd</sup> 4 <sup>th</sup> 5 <sup>th</sup> 6 <sup>th</sup> 7 <sup>th</sup> Reverse	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio BODY/SUSPENSION	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS)	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS)
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio BODY/SUSPENSION Steering Type Braking System	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type Braking System Front Brake Type / Diameter (mm)	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist Disc / 320	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist Disc / 320
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type Braking System Front Brake Type / Diameter (mm) Rear Brake Type / Diameter (mm)	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type Braking System Front Brake Type / Diameter (mm) Rear Brake Type / Diameter (mm) Brake Disc Ventilation	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type Braking System Front Brake Type / Diameter (mm) Rear Brake Type / Diameter (mm) Brake Disc Ventilation Front Suspension	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type Braking System Front Brake Type / Diameter (mm) Rear Brake Type / Diameter (mm) Brake Disc Ventilation Front Suspension Rear Suspension	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone Wishbones + control arms	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone Wishbones + control arms
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type Braking System Front Brake Type / Diameter (mm) Rear Brake Type / Diameter (mm) Brake Disc Ventilation Front Suspension Rear Suspension Drag Coefficient	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type Braking System Front Brake Type / Diameter (mm) Rear Brake Type / Diameter (mm) Brake Disc Ventilation Front Suspension Rear Suspension Drag Coefficient  PERFORMANCE	7G-DCT Automatic  3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone Wishbones + control arms 0.31	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone Wishbones + control arms 0.31
Drive Configuration Transmission Type Gear Ratios (:1)  1st 2nd 3rd 4th 5th 6th 7th Reverse Final Drive Ratio  BODY/SUSPENSION Steering Type Braking System Front Brake Type / Diameter (mm) Rear Brake Type / Diameter (mm) Brake Disc Ventilation Front Suspension Rear Suspension Drag Coefficient	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.130  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone Wishbones + control arms	3.860 2.430 2.670 1.050 0.780 1.050 0.840 3.380 4.600  Electromechanical (EPS) ABS with Brake Assist Disc / 320 Disc / 295 front Spring Strut + wishbone Wishbones + control arms

## **Unique Selling Points**

### Mercedes-Benz B-Class



#### Value Proposition

A broad range of luxurious and technologically advanced standard features create outstanding value. This realization becomes ever more exact when considering the mandatory Avantagrde Edition Package.

#### **Excellent Utility**

Sporting up to 1,547 liters of luggage capacity, the B-Class is road trip ready. When combined with 4MATIC all-wheel drive, the B-Class is prepared to handle inclement road conditions with confidence.



"Decent fuel economy helps save a few pennies on the road, while the build quality is such that it really does feel like a car for life. A safe one as well: Mercedes even fits a standard Active Brake Assist system that bleeps, flashes lights and primes the brakes when its radar detects potential impacts." – **Top Gear** 

http://www.topgear.com/car-reviews/mercedes-benz/b-class/owning

"With all-wheel drive, a compact footprint and practical upright architecture, the B 250 4MATIC is unique in the marketplace, offering plenty of functionality with a premium sheen." – **Driving** 

http://driving.ca/mercedes-benz/b-class/reviews/road-test/car-review-2017-mercedes-benz-b250-4matic

"The B 250 4MATIC, tested here, makes the B-Class a truly viable contender for consumer attention. It uses an all-wheel-drive system that will shift variable amounts of power from the front axle to the rear!" – **Wheels** 

http://www.wheels.ca/car-reviews/2015-mercedes-benz-b-250-4matic-review/